


Creating Solutions For
A Better *Paved* World



PAVERS
A PAVING CO.


ABOUT US

Pavers since its inception has come along way and is one of the leading paving manufacturers in north India.

We have widest range of pavers in Delhi/NCR region comprising of various shapes, finishes, colours and patterns.

Range of products includes paver blocks, landscaping tiles, kerbstone, saucer drains + drain cover, flagstones, paveit tiles, grass grids and grass pavers, industrial pavers, cobble stones, pebblo and granulated tiles etc. Our products are being used by best brands and architects in construction industry.

Spearheading innovation, the future of paving is **Pavers India**.



OUR INNOVATIONS

Discover Huge Variance in Shapes | Textures | Colours | Sizes.




SURFACE FLATNESS



EASY TO CLEAN



LOW WATER
ABSORPTION



ANTI-SKID



STAIN RESISTANCE



PAVING BLOCKS

Pavers offers variety of alternatives for whatever your design requirement may be. It's the most aesthetically pleasing and durable paving available. We have unlimited paving options available to synchronize with character of your project be it commercial, residential or infrastructure.

The Modulares

Pavers has introduced one of the best paving with use of different sizes of paving blocks called modules. Best suited for Pedestrian/ Roads / driveway.



JAGUAR, MOTI NAGAR

The Matt

MATT is a unique combination of rustic look with stunning colours to enhance any road or driveway. They are anti-skid.



Reflectives

They are perhaps aesthetically best pavers with regard to colours, finish and shapes available. Best suited for shopping malls, society roads, schools / colleges, amusement parks etc.



ST. XAVIER'S SCHOOL

Sturdy

They are tough ones and are meant for Petrol pumps, containers depots, highways, industries etc.



AGARWAL PACKERS

Greens

They let grass grow in voids and impart a green soothing touch to any project. Best suited for open parking, societies and residential projects.



GULSHAN HOMZ

CLEO COUNTY

Mingle

Mingle is a result of hard work and innovation to bring out this unique blended range. It's unique colour variation gives it a look that gives it upper edge than common paving blocks. Different colour variations like smoke grey/black and dholpur/dark brown are popular and more can be created as per your imagination.



Shotblasted

We have an automatic shot blasting unit which produces texture as designed by landscape architects. Rugged colourful stone chips are arranged from various states making it most favourable among landscape architects.



**APPU GHAR WATER
PARK**

**LOGIX CITY CENTER,
MALL**

TULIP VIOLET

Cobbles

Our Cobbles are replica of natural cobbles and come with various options like square, flagstones and arch rock. They are aesthetically marvellous and common in European countries.



200x200x60 mm

100x100x60 mm

SELECT CITYWALK MALL

LANDSCAPING TILES

Pebblo

Pebbles arranged from various river beds provide a rustic flooring like nothing else.

Sizes available are 400x400x40 mm, 300x300x60 mm and 300x300x25 mm



Granulated Tiles

They come with a rugged rustic finish implanted by carefully selected granite / stone chips and have high abrasive value making it best option for high traffic areas as in malls, amusement parks, bus depots etc. This finish is available in our paving blocks too so thickness available is from 25-80mm.



The Chequered

The traditional tiles available in variety of bright colours, patterns, textures and sizes. Useful in sit out, terrace water proofing, walkway, porch, connecting areas etc.




300x300x25 mm



Reflexivo

Most elegant and unique tiles from our innovative collection. We are first and perhaps only one making them in Northern India. Chemically treated so nonabsorbent for any kind of stains. Recommended for pedestrian traffic in places like restaurants, pubs, discotheques, malls, lobby area, hotels etc.

The thickness of tiles is 25mm and sizes 300x300 mm / 100x100 mm.



300x300x25 mm



100x100x25 mm



Colour Palette

Gray



Smoke Gray



Black



Dark Brown



Beige



Orange



White



Dholpur



Terracotta



Yellow



Red



Brown



FLAGSTONES

Bigger paving units of sizes 300x300 mm or more are termed as flagstones. Architects can use them for pedestrian and light traffic areas as they look like big stone units and are anti-skid, alternative to small paving blocks, have less joints giving a neat simple seamless excellent appearance. They are laid on mortar bed and interesting combinations can be made with small cobbles. Thickness 40/60 mm.




400x400x40 mm



365x365x60 mm



SELECT CITYWALK MALL



500x250x60 mm

EDGE STONES

They offer edge restraint to paving blocks driveway and prevents them from loosening up. It's a very economic option as compared to kerbstones, lets surface drain off easily and its available in M25/30 grades.



600x150x75 mm



KERBSTONES

Pavers has approx. 20 different sizes of kerbstones and edgestones available. This huge range enables excellent design possibilities for urban infrastructure. Long, tall, thick, slim, dotted kerbstones - we have it all.

Special Kerbstones

They fulfill typical design requirements of landscape architects



S1

INTERLOCKING KERBS



S2



S3



S4

300X300X125 MM
(DOTTED)



S5 (900x450x150/75mm)

SURMOUNTABLE KERBSTONE
CUM CHANNEL (DLF GARDENCITY)



Tapered Kerbstones



K1 - 300x300x100 mm



K2 - 300x180x150 mm



K3 - 300x250x150 mm



K4 - 300x300x150 mm



K5 - 300x200x125/75mm



K5 - 600x250x150 mm



K6 - 600x150x75 mm



K7 - 750x200x150 mm



K8 - 900x300x150 mm



K9 - 600x200x150 mm



K10 - 300x300x150 mm



K11- 300x450x150 mm
(Supertech Hilltown)



K12 - 300x350x160 mm
(Mountable)

Round Kerbstones



K13 - 600x300x150 mm



K14 - 300x450x150 mm



K15 - 600x250x150 mm



K16 - 300x350x150 mm



K17 - 300x300x150 mm



K18 - 450x300x100 mm

SAUCER DRAINS AND DRAIN COVERS

We provide numerous shapes and sizes to assist your surface water drainage. Products are designed keeping in mind nature of project and traffic conditions.



300x300x100 mm



300x450x100 mm




600x450x100 mm



600x300x100 mm

Drain Covers

Plain and perforated covers are available as per your site needs. Reinforcement and perforations are designed as per water drain off and traffic expected.



PRATEEK EDIFICE



600x450x70-100 mm




600x450x65 mm



600x450x54 mm

Slit Drain


It's the neatest and aesthetically wise option for water drainage. The slit at top drains water, has an anti-clogging shape and facilitates cleaning. Joints should be sealed with cement mortar and drain should be laid on well compacted sub-base. Best suited for driveways, malls, infrastructure projects etc. Grade of concrete used is M30 and is suitably reinforced. .



1000x250x250 mm



M3M GOLF ESTATE



DLF CYBER PARK
500X350X250mm

PAVEIT

These are excellent floor tiles in size of 100x100x25/20 mm which can get along with any surroundings. They are available in variety of colours, textures and finishes thereby enabling endless designs. Pools, driveway, airports, parkings, porch, lounge area, it will suit them all.



150x150x25 mm



100x100x25/20 mm

ONSITE MANUFACTURING

We have executed various prestigious bulk projects (**1,50,000 sqft** area and more) by setting up on site plants yielding in huge saving for clients as transportation cost which is a big factor becomes zero.

- L&T - Kannaur international airport, Kerala
- L&T - Jaipur - Kishangarh highway
- Textile Park - Pali (RJ)

PAVER FINISHES

Shot Blasted

We have an automatic shot blasting unit which produces texture as designed by landscape architects arranged from various states make its among landscape architects.



Smooth

It is a very neat clean finish. Its more desired in schools, hospitals and food industries making food products.



Weathered

This is a handmade finish and hence most expensive. It has old world charm and gives a worn-out look to pavers / kerbstones / tiles.



Sand Blast

It is a gentle texture somewhat like a sand paper. It is a sharp finish as well as anti-skid.



Glossy

Its achieved by chemically coating the above said finishes. It imparts shine and makes products look brighter. Also, adds life to coloured paver blocks. It makes product water and oil repellent.



Etching

Another wonderful anti-skid finish has a sharp look and elegant. It breaks monotony of smooth pavers and imparts value to its aesthetics.



The Range



Technical Specifications

CHARACTERISTICS	CODE STANDARD	STANDARD VALUE
Pavers (IS 15658)		
Dimensional Tolerance	Thickness	± 3 mm
	Length & Breadth	± 2 mm
Water Absorption		<6%
Compressive Strength (28days)		300-500 kg/sqcm
Abrasion Resistance (mm)		2 max
TILES (IS 1237:2012)		
Dimension (mm)	Length	300±1 mm
	Width	300±1 mm
Water Absorption (%)		10 max
Transverse Strength (n\mm²)		3 min
Resistance to wear (mm)		2.5 max

TECHNICAL ALLIES

Lanxess (Germany) Sikka Recron Nikita

THE INNOVATION


Super Thin Pavers

They are available in 25/40mm thickness. These 40mm thick pavers can bear traffic load upto 15 tonnes!, first of it's kind in India. Months of R&D led to this technological development. It's pocket friendly as it's much cheaper than conventional 60mm thick interlocking pavers. Grade of concrete used is M50 plus.



Glow in the Dark Pavers (Nightglo)

These photo-luminescent pavers glow from absorbed sunlight during the day and can be installed directly on your driveway, pool deck or walkway. Glow duration can vary from 6-8 hours.



Illuminated Kerbstones

Another first in India by us, they will light up your driveway in the night. The lights fitted are water proof and can withstand moisture from surrounding green belt. It reduces energy consumption as driveway is well lit up and gives awesome look to your driveway in night. Size of Kerbstone is 600 x 230 x 200 mm.




Designer Drain Covers

Flowers, petals, company logos and anything you can imagine, can be engraved on these drain covers. Dull and monotonous drain covers can be made interesting and bright thereby adding aesthetics to any project.



Reflexivo

We are first in north india to make it. Mirrors in tiles reflect when light falls on them. Recommended for pedestrian traffic in places like restaurants, discotheques, malls, hotels etc. The thickness is 25mm and sizes 300 x 300 mm / 100 x 100 mm.




The Satya

SATYA range offers tiles that sparkle when any form of light falls on it. Intesive hard work over months gave this vibrant glossy look. Absolutely stunning shimmer will brighten up any driveway. Thickness is 25mm and sizes are 300 x 300 mm / 150 x 150 mm / 100 x 100 mm.




The Art

New levels of imagination and creativity led to birth of 'The Art' tiles. Beautiful blend of various colour combinations can be ordered like gray with white/black dot or black tile with red dot etc. Available in



300x300x25 mm



300x300x25 mm

Etcher

Etcher pavers/tiles are subjected to a protective surface treatment first. Next process is shot blasting which creates a wonderful contrast of smooth and rough surface in same product. When laid, these pavers/tiles can create patterns beyond your imagination.

Sizes in pavers 40mm / 60mm thick

Size in tiles 300 x 300 x 25 mm






INSTALLATION GUIDELINES

- Sub Base should be hard, well compacted and levelled to achieve a smooth paver blocks driveway.
- Fix edge restraints like Edgestones, Kerbstones etc. to avoid displacement of pavers in one or two sides and so that laid driveway is straight.
- Bed sand (25-40 mm thick) should be spread in levelled way with help of long wooden /aluminum bar.
- Start laying pavers from the edge where pavers come straight and try to end at full complete paver to avoid cutting if possible.
- Spread dry fine sand with broom on top of pavers in ample quantity and run plate compactor after it to fill all paver joints. The vibrations of compactor will make fine sand fill joints which acts as cushion between two pavers.
- After compacting, clean the driveway with broom thereby removing all extra fine sand present.

NOTE:

- Before taking decision on colours, kindly check actual paver/tiles, there may be shade variation in the colours.
- Kindly keep adequate gap between paver/tiles to avoid chipping.
- Shade/Size variation is inherent property of all cement based products and should not be considered as manufacturing defect.
- We advise you to kindly check line and level of pavers/tiles before fixing them. No claims whatsoever will be entertained afterwards.



PAVERS
A PAVING CO.